

# **KENSINGTON DELUXE**

### **Underlay Technical Specification**

Item Code: TAKENDEL

ssue Date: 23/10/2019

Issue No. 4







Standard Specifications\* Nominal square weight 2500 g/m<sup>2</sup> (80 oz/yd<sup>2</sup>) Nominal roll weight 27.4 kg Nominal roll area 10.96m<sup>2</sup> (1.30m x 8.43m) Nominal thickness 11.00mm ISO 1765 BS 5808: 1991 / EN14499 : 2015 End Use Classification HC/U, Heavy Contract Use Work of compression (Min. 50 J/m<sup>2</sup> Max. 200 J/m<sup>2</sup>) 121 J/m<sup>2</sup> BS 4098 & ISO 2094 Retention of work of compression (min 40%) 86 % BS 4098 & ISO 2094 Compression after Dynamic loading 3.9 mm BS 4098 & ISO 2094 Loss in thickness after Dynamic loading (max 15%) 6.8% BS 4052 & ISO 2094 Loss in thickness after static loading (max 15%) 11.1 % ISO 3415/3416 & BS 4939 Breaking strength (length/width) min. 30N 659N / 1140N EN ISO 13394 BS 2576 EN ISO 13394 BS 2576 Extension under force (length/width) max. 15%@ 30N 5.7 % / 4.5 % Resistance to cracking (not greater than 50mm) Pass EN 14499 & BS 5808 Other Specifications Odour No objectionable odour Colour / facing Black / grey polyester fibres from recycled PET bottles

Crumb Rubber (recycled car tyres) / Polyester Fibre (recycled PET bottles)

End Use Classification (BS 5808: 1991 / BS EN 14499 : 2015): HC/U, Heavy Contract Use

Suitable for the stretch-fit installation of carpets

Packaging	Grey film / red & violet print
Thermal resistance	1.70 togs BS 4745
Impact sound reduction (Delta Lw)	30 dB BSEN ISO 140-8: 1998 and BSEN ISO 717-2: 1997

Certification



Guarantee

Guaranteed for the serviceable lifetime of the carpet when used in accordance with the End Use Classification.



Notes

\* The nominal roll dimensions have been quoted. These may vary slightly but will comply with the requirements of BS EN 14499:2015

<sup>‡</sup> Value derived from similar product test results

Interfloor Ltd., Broadway, Haslingden, Rossendale, Lancashire, BB4 4LS. Tel: +44(0)1706 213131 Fax: +44(0)1706 214737 Web: www.interfloor.com International Enquiries: Telephone: +44(0)1706 238825 Fax: +44(0)1706 225114



Flammability

Russian GOST FR Test

Hot metal nut test (tested in Interfloor laboratory)

# **KENSINGTON DELUXE**

Low radius of effects of ignition

**Classification KM5** 

## **Underlay Technical Specification**

BS 4790 & BS 5287

GOST 30244-94, GOST 30402-96

GOST 12.1.044-89 (item 4.20)

GOST 51032-97, GOST 12.1.044-89 (item 4.18)

#### Item Code: TAKENDEL

ssue Date: 23/10/2019

Issue No. 4





GREEN CREDENTIAL	LS	
Green Features	Description	LEED Programme
Recyclable	At the end of the underlays useful life it can be 100% recycled	MR 2.0: Points Available It can be recycled
Recycled Content	Contains approximately 80% post-consumer recycled material	MR 4.0: Points Available Recycled Content
Indoor Air Quality	Meets or exceeds the industry standard for indoor air quality as established by the CRI Green Label Programme	IEQ 4.3: Points Available Product is Green Label Plus Certified
Regional Materials	Production Facility Haslingden BB4 4LS, UK Where used within 500 miles of Production Facility	MR 5.0: Points Available
	considered along with other building components and must be	

determined by the specifier/architect or LEED accredited professional
Recycled Content

Post Consumer	80%
Pre Consumer	0%
Virgin	20%



Certification



Guarantee

Guaranteed for the serviceable lifetime of the carpet when used in accordance with the End Use Classification.

interfloor

#### Notes

\* The nominal roll dimensions have been quoted. These may vary slightly but will comply with the requirements of BS EN 14499:2015

<sup>‡</sup> Value derived from similar product test results

Interfloor Ltd., Broadway, Haslingden, Rossendale, Lancashire, BB4 4LS. Tel: +44(0)1706 213131 Fax: +44(0)1706 214737 Web: www.interfloor.com International Enquiries: Telephone: +44(0)1706 238825 Fax: +44(0)1706 225114