



STIKATAK 100

Page: 1 Compilation date: 03/02/2017

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: STIKATAK 100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Company name:	Interfloor Ltd
	Broadway
	Haslingden
	Rossendale
	Lancashire
	BB4 4LS
	United Kingdom
Tel:	01706 213131
Fax:	01706 224915
Email:	chris.mcgilvray@interfloor.com

1.4. Emergency telephone number

Emergency tel: 01706 213131

Section 2: Hazards identification

2.1. Classification of the substance or mixture Classification under CLP: Eye Irrit. 2: H319; -: EUH208 Most important adverse effects: Contains biocide based on 1,2 benzisothiazol-3(2h)-one and 2 methyllisothiazol-3(2h)-one. May produce an allergic reaction. Causes serious eye irritation.

2.2. Label elements

Label elements:	
Hazard statements:	EUH208: Contains biocide based on 1,2 benzisothiazol-3(2h)-one and 2
	methyllisothiazol-3(2h)-one. May produce an allergic reaction.
	H319: Causes serious eye irritation.
Hazard pictograms:	GHS07: Exclamation mark
	\wedge



STIKATAK 100

Page: 2

Signal words: Warning Precautionary statements: P264: Wash hands thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists: Get medical attention.

2.3. Other hazards

Other hazards: Irritating to eyes.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

POLYMERIC AQUEOUS DISPERSION (P)

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	-	-	Eye Irrit. 2: H319	30-50%

CALCIUM CARBONATE

-	1317-65-3	Substance with a Community	-	30-50%
		workplace exposure limit.		

BIOCIDE BASED ON 1,2 BENZISOTHIAZOL-3(2H)-ONE AND 2 METHYLLISOTHIAZOL-3(2H)-ONE

-	-	-	Aquatic Chronic 3: H412; Eye Dam. 1:	<1%	
			H318; Skin Sens. 1: H317		

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may
	cause coughing or wheezing.
elaved / immediate effects:	Immediate effects can be expected after short-term exposure.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

STIKATAK 100

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

STIKATAK 100

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

POLYMERIC AQUEOUS DISPERSION (P)

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	25	-	-	-

Respirable dust

CALCIUM CARBONATE

UK	10mg/m3	-	-	-

DNEL/PNEC Values

Hazardous ingredients:

POLYMERIC AQUEOUS DISPERSION (P)

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	47	Workers	Systemic
DNEL	Dermal	68	Workers	Systemic

8.2. Exposure controls

 Engineering measures:
 Ensure there is sufficient ventilation of the area.

 Respiratory protection:
 Self-contained breathing apparatus must be available in case of emergency. Respiratory protective device with particle filter.

 Hand protection:
 Protective gloves.

 Eye protection:
 Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Solid		
Colour:	Off-white		
Odour:	Barely perceptible odour		
Evaporation rate:	Not applicable.		
Oxidising:	Not applicable.		
Solubility in water:	Soluble		
Viscosity:	Viscous		
Boiling point/range°C:	>35	Melting point/range°C:	Not applicable.
Flammability limits %: lower:	Not applicable.	upper:	Not applicable.
Flash point°C:	>93 Pa	art.coeff. n-octanol/water:	Not applicable.
Autoflammability°C:	Not applicable.		

STIKATAK 100

Page: 5

Vapour pressure: Not applicable.

Relative density: Not applicable.

pH: Approx. 7

VOC g/I: Not applicable.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

POLYMERIC AQUEOUS DISPERSION (P)

ORAL RAT LD50	0.0011 mg/l
---------------	-------------

BIOCIDE BASED ON 1,2 BENZISOTHIAZOL-3(2H)-ONE AND 2 METHYLLISOTHIAZOL-3(2H)-ONE

DERMAL	RAT	LD50	>2000	mg/kg
DUST/MIST	RAT	LD50	5.71	mg/l
ORAL	RAT	LD50	>2500	mg/kg

Relevant hazards for product:

Hazard Route Basis

STIKATAK 100

				Page	: 6
'n	OPT	Hazardo	us: calculated		
ire					
There ma	y be irritation an	d redness at the site	of contact.		
There may	, y be irritation an	d redness. The eyes	may water profusely.		
There mag	y be irritation of	the throat with a feeli	ing of tightness in the	chest. Exposure may	
cause cou	ughing or wheez	ing.			
Immediate	e effects can be	expected after short-	term exposure.		
nation					
NZISOTH	AZOL-3(2H)-ON	NE AND 2 METHYLL	ISOTHIAZOL-3(2H)-	ONE	
		48H EC50	32	mg/l	
ability					
-					
lai					
No bioaco	cumulation poter	itial.			
B assessn	nent				
This produ	uct is not identifi	ed as a PBT/vPvB su	ubstance.		
- 1					
Negligible					
	coloxicity.				
ds					
Transfer t	o a suitable cont	tainer and arrange fo	r collection by specia	lised disposal	
company.					
		wn to the possible ex	kistence of regional or	r national	
The user's		-	kistence of regional o	r national	
The user's	s attention is dra	-	kistence of regional o	r national	
	There ma There ma Cause cou Immediate nation ENZISOTHI Biodegrad ial No bioacco B assess This produ Negligible erations	There may be irritation an There may be irritation an There may be soreness a There may be irritation of cause coughing or wheez Immediate effects can be nation ENZISOTHIAZOL-3(2H)-ON Biodegradable. iial No bioaccumulation poter B assessment This product is not identifie Negligible ecotoxicity. erations ds	Intere may be irritation and redness at the site There may be irritation and redness. The eyes There may be soreness and redness of the mo There may be irritation of the throat with a feeling cause coughing or wheezing. Immediate effects can be expected after short- ination ENZISOTHIAZOL-3(2H)-ONE AND 2 METHYLL 48H EC50 Biodegradable. iial No bioaccumulation potential. B assessment This product is not identified as a PBT/vPvB su Negligible ecotoxicity. Errations ds	There may be irritation and redness at the site of contact. There may be irritation and redness. The eyes may water profusely. There may be irritation of the throat with a feeling of tightness in the cause coughing or wheezing. Immediate effects can be expected after short-term exposure. Imation ENZISOTHIAZOL-3(2H)-ONE AND 2 METHYLLISOTHIAZOL-3(2H)- ABB ISSESSMENT No bioaccumulation potential. B assessment This product is not identified as a PBT/vPvB substance. Negligible ecotoxicity. erations	ire There may be irritation and redness at the site of contact. There may be irritation and redness. The eyes may water profusely. There may be soreness and redness of the mouth and throat. There may be soreness and redness of the mouth and throat. There may be soreness and redness of the mouth and throat. There may be soreness and redness of the mouth and throat. There may be soreness and redness of the mouth and throat. There may be soreness and redness of the mouth and throat. There may be soreness and redness of the mouth and throat. There may be soreness and redness of the mouth and throat. There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing. Immediate effects can be expected after short-term exposure. Immediate effects can be expected after s

Section 15: Regulatory information

STIKATAK 100

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.