



Safety Data Sheet

1 Identification of the Substance/Preparation and Company

PRODUCT NAME: Level A Floor - Liquid Latex Component
PRODUCT CODE: SEL10

Reviewed on: 25.03.2010

Interfloor Ltd.
Broadway,
Haslingden,
Rossendale,
Lancashire
BB4 4LS

Tel: 01706 213131
Fax: 01706 214737

www.stikatak.co.uk
www.interfloor.com

2 HAZARDS IDENTIFICATION

Slightly irritating to eyes

3 COMPOSITION / INFORMATION ON INGREDIENTS

A Styrene Butadiene Emulsion –Not Classified

4 FIRST- AID MEASURES

CONTACT WITH SKIN

- After contact with skin, wash immediately with plenty of soap and water. Remove any contaminated clothing
- Seek medical attention if irritation persists

CONTACT WITH EYES

- In case of contact with eyes, rinse immediately with plenty of water for about 15 minutes with eyelids held open. Seek medical advice.

INGESTION

- Immediately rise mouth thoroughly and drink plenty of water. Seek medical attention.
- Do not induce vomiting due to the risk of aspiration into the lungs

INHALATION

- Remove patient to fresh air. If nose or airways become blocked seek medical advice
-

5 FIRE-FIGHTING MEASURES

Water Based, Not Flammable, No special precautions

Dry polymer is combustible. Decomposition products could be toxic

Extinguishing Media - Dry Polymer

Water, Alcohol resistant foam. Powder, CO₂, sand, etc.

Protective clothing and self-contained breathing equipment should be available for firemen

6 ACCIDENTAL RELEASE MEASURES

- Prevent entry into sewers or waterways.
 - Residues and spillage's should be soaked up with an inert absorbent material such as sand and disposed of appropriately
 - Small spillage's may be washed away with water. Waste water must be disposed of correctly
 - Wear protective clothing
-

7 HANDLING AND STORAGE

Handling

- The usual precautions for handling chemicals should be observed
- Avoid contact with skin and eyes
- Wear gloves and eye protection

Storage

Keep container tightly closed and dry

- Store above 5°C

- Do not store above 30°C
-

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

- | | |
|--------------------------|-----------------------------------|
| • Respiratory Protection | Not Applicable |
| • Hand Protection | Heavy duty Gloves |
| • Eye Protection | Eye/face shield or safety glasses |
| • Skin Protection | Overalls, closed footwear |
-

9 PHYSICAL PROPERTIES

- Milky white liquid miscible with water
 - Non combustible
 - Boiling point 100°C
 - Freezing point 0°C
 - pH 8.5-9.5
 - Specific gravity 1.0
 - Odour Distinctive
-

10 STABILITY AND REACTIVITY

- Stable in normal application conditions
 - Mixes with water
 - Do not mix with any other chemical product other than the liquid latex supplied together with the product
-

11 TOXICOLOGICAL INFORMATION

Refer to Hazard Identification and Composition Sections

12 ECOLOGICAL INFORMATION

Product is miscible with water and could cover considerable distances if spilled into waterways. Even a small spillage will whiten the appearance of water.
The is a slow environmental breakdown of the product but little tendency for the product to bioaccumulate

13 DISPOSABLE CONSIDERATIONS

Disposal should be in accordance with local, state or national legislation

14 TRANSPORT REGULATIONS

The material is not classified as dangerous goods

15 REGULATORY INFORMATION

- EEC Hazard Classification- None
 - Handle in accordance with good industrial hygiene and safety practice
-

16 OTHER INFORMATION

For intended use and applications see The Technical Data Sheet for the product. The information provided in this Safety Data Sheet is based on the present state of our knowledge. This data is intended to enable safety assessments to be made and should not be construed as guaranteeing specific properties. Recipients of our product must take responsibility for observing existing laws and regulations

· **Department issuing data specification sheet:** Quality Control

· **Contact:**

Scott Yarrow
Tel 0208 839 4405
Fax 0208 842 1387

e-mail: scottyarrow@stikatak.co.uk