



Safety Data Sheet

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

PRODUCT NAME: HIGH PERFORMANCE FLEXIBLE WOOD FLOORING ADHESIVE
PRODUCT CODE: STK 600

Reviewed on 23.03.2010

Interfloor Ltd.
Broadway,
Haslingden,
Rossendale,
Lancashire
BB4 4LS

Tel: 01706 213131
Fax: 01706 214737

www.stikatak.co.uk
www.interfloor.com

2 HAZARDS IDENTIFICATION

· Hazard designation: Not Applicable

3 COMPOSITION/DATA ON COMPONENTS:

- Chemical characterization
- Description: Preparation

· Dangerous components:		
CAS: 28553-12-0	di-"isononyl" phthalate	10-20%
EINECS: 249-079-5		

4 FIRST AID MEASURES

- After inhalation Supply fresh air: consult doctor in case of complaints.
- After skin contact Treat affected skin with cotton wool or cellulose then wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor
- After swallowing Call a doctor immediately.

5 FIRE FIGHTING MEASURES

- Suitable extinguishing agents
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol-resistant foam.
- Special hazards caused by the material, its products of combustion or flue gases:
Formation of toxic gasses is possible during heating or in case of fire.
- Protective equipment: Do not inhale explosion gases or combustion gases. Wear self contained respiratory protective device

6 ACCIDENTAL RELEASE MEASURES

- Person-related safety precautions: Ensure adequate ventilation
- Measures for environmental protection: Do not allow to enter sewers/surface or ground water.
- Measures for cleaning/collecting: Pick up mechanically

7 HANDLING AND STORAGE

- Handling
- Information for safe handling: Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.

- Storage

- **Requirements to be met by storerooms and containers:** Prevent any seepage into the ground.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
Protect from frost
Keep container tightly sealed
Protect from heat and direct sunlight.
Store in a well ventilated area.
Store in dry conditions.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

- **Additional information about design of technical systems:** No further data: see section 7

· Components with limit values that require monitoring at the workplace:	
67-56-1 Methanol	
OES	Short-term value: 333 mg/m ³ : 250ppm Long-term value: 266 mg/m ³ : 200ppm Sk, ILV
28553-12-0 di "isononyl" phthalate	
OES	Long-term value: 5 mg/m ³

- **Personal protective equipment**
- **General protective and hygienic measures**
The usual precautionary measures should be adhered to when handling chemicals
Keep away from food, drink and animal feedingstuffs.
Immediately remove any soiled and contaminated clothing.
Wash hands before breaks and at the end of the work.
Avoid close or long term contact with the skin.
- **Breathing equipment:**
Not required with good ventilation and/or adequate extractor facilities
- **Protection of hands:**
Protective gloves recommended if direct contact with the product may occur.
- **Eye protection:** Safety glasses recommended if direct contact with the product may occur.
- **Body protection:** Protective work clothing.

9 PHYSICAL AND CHEMICAL PROPERTIES:

- **General Information**
- Form:** Paste
- Colour:** Cream
- Smell:** Characteristic
- **Change in condition**
- Boiling point/Boiling range:** Not determined
- **Flash point:** >100°C
- **Ignition temperature:** Not determined.
- **Explosion limits:**
- Lower:** Not determined.
- Upper:** Not determined
- **Density at 20°C** 1.57 g/cm³
- **Vapour pressure at 20°C:** <100hPa
- **Solubility in / Miscibility with**
- Water:** Insoluble.

10 STABILITY AND REACTIVITY

- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Dangerous reactions**
Reacts with acids.
Reacts with strong oxidizing agents.
- **Dangerous products of decomposition:**
In case of fire the following substances may occur: Sulphur oxides (SOx).
Contact with water (or air humidity) liberates minor quantities of Methanol.

11 TOXICOLOGICAL INFORMATION

- **Acute toxicity:**
- **Primary irritant effect:**
- **On the skin:** No irritant effect.

12 ECOLOGICAL INFORMATION:

- **General notes:**

Do not allow product to reach ground water, water course or sewage system.

13 DISPOSAL CONSIDERATIONS

- **Product:**

- **Recommendation:** Disposal in accordance with official regulations.

- **EWG-Code(s):**

080411, 080409, 080410; (depending on waste origination process)

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

14 TRANSPORT INFORMATION

- **Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)**

- **ADR/RID-GGVS/E Class:** -

- **Maritime transport IMDG/GGVSea:**

- **IMDG/GGVSea Class:** -

- **Air transport ICAO-TI and IATA-DGR:**

- **ICAO/IATA Class:** -

- **Transport/Additional information:** Protect from moisture.

15 REGULATORY INFORMATION

- **Markings according to EC guidelines:**

The product is not subject to identification regulations under EC directives and the Ordinance on Hazardous Materials (GefStoffV). Observe the general safety regulations when handling chemicals.

16 OTHER INFORMATION:

This data is based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The information provided about the product on this Safety Sheet has been compiled from knowledge of the individual constituents. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer.

- **Department issuing data specification sheet:** Quality Control

- **Contact:**

Scott Yarrow
Tel 0208 839 4405
Fax 0208 842 1387
e-mail: scottyarow@stikatak.co.uk