



STIKATAK 1215

Page: 1

Compilation date: 07/02/2017

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: STIKATAK 1215

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Company name: Interfloor Ltd

Broadway Haslingden Rossendale Lancashire BB4 4LS

United Kingdom

Tel: 01706 213131 **Fax:** 01706 224915

Email: chris.mcgilvray@interfloor.com

1.4. Emergency telephone number

Emergency tel: 01706 213131

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 2: H411; -: EUH208

Most important adverse effects: Contains biocide b, fungicide t. May produce an allergic reaction. Toxic to aquatic life with

long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains biocide b, fungicide t. May produce an allergic reaction.

H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS09: Environmental



STIKATAK 1215

Page: 2

Precautionary statements: P273: Avoid release to the environment.

P391: Collect spillage.

P501: Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

CALCIUM CARBONATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	1317-65-3	Substance with a Community	-	30-50%
		workplace exposure limit.		

ZINC OXIDE

-	1314-13-2	-	Aquatic Chronic 1: H410; Aquatic Acute	<1%
			1: H400	

FUNGICIDE BASED ON 2-OCTYL-2H-ISOTHIAZOL-3-ONE

-	-	-	Skin Corr. 1A: H314; Eye Dam. 1:	<1%
			H318; Skin Sens. 1: H317; Aquatic	
			Acute 1: H400; Aquatic Chronic 2:	
			H411	

BIOCIDE BASED ON 1,2 BENZISOTHIAZOL-3(2H)-ONE AND 2 METHYLLISOTHIAZOL-3(2H)-ONE

-	-	-	Aquatic Chronic 3: H412; Eye Dam. 1:	<1%
			H318; Skin Sens. 1: H317	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. **Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

STIKATAK 1215

Page: 3

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area

with signs and prevent access to unauthorised personnel.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

STIKATAK 1215

Page: 4

CALCIUM CARBONATE

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	10mg/m3	-	•	-

ZINC OXIDE

UK	5 mg/m3	10 mg/m3	_	_
U. (0 1119/1110	10 1119/1110		

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Respiratory protection: Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Solid

Colour: Off-white

Odour: Barely perceptible odour

Evaporation rate: Slow

Oxidising: Not applicable.

Solubility in water: Soluble

Viscosity: Viscous

Boiling point/range°C: >35 Melting point/range°C: Not applicable.

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: >93 Part.coeff. n-octanol/water: Not applicable.

Autoflammability°C: Not applicable. Vapour pressure: Not applicable.

Relative density: Not applicable. pH: Approx. 7

VOC g/I: Not applicable.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

STIKATAK 1215

Page: 5

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ZINC OXIDE

IPR	RAT	LD50	240	mg/kg
ORL	MUS	LD50	7950	mg/kg

FUNGICIDE BASED ON 2-OCTYL-2H-ISOTHIAZOL-3-ONE

DERMAL	-	-	>5000	mg/kg
DUST/MIST	-	-	1.7	mg/l
ORAL	RAT	-	>2000	mg/kg

BIOCIDE BASED ON 1,2 BENZISOTHIAZOL-3(2H)-ONE AND 2 METHYLLISOTHIAZOL-3(2H)-ONE

DERMAL	RAT	LD50	>2000	mg/kg
DUST/MIST	RAT	LD50	5.71	mg/l
ORAL	RAT	LD50	>2500	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

STIKATAK 1215

Page: 6

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

FUNGICIDE BASED ON 2-OCTYL-2H-ISOTHIAZOL-3-ONE

ALGAE	72H ErC50	0.004	mg/l
Daphnia magna	96H ErC50	0.42	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	72H ErC50	0.036	mg/l

BIOCIDE BASED ON 1,2 BENZISOTHIAZOL-3(2H)-ONE AND 2 METHYLLISOTHIAZOL-3(2H)-ONE

Daphnia magna	48H EC50	32	mg/l	
---------------	----------	----	------	--

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3077

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 9

STIKATAK 1215

Page: 7

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.