

# interfloor

## SAFETY DATA SHEET

### STK950 Double-Stick Tackifier Adhesive



Interfloor Limited

Broadway, Haslingden, Rossendale, Lancashire, BB4 4LS United Kingdom

Enquiries

Tel: +44 (0)1706 238810

[sales@interfloor.com](mailto:sales@interfloor.com)

[interfloor.com](http://interfloor.com)

## SECTION 1: IDENTIFICATION

### 1.1 Product Identifier

**Product Name:** STK950 Double-Stick Tackifier

**Product Code:** STK950

### 1.2 Identified Uses & Uses Advised Against

**Identified Uses:** Flooring Adhesive

**Uses Advised Against:** None known

### 1.3 Supplier Details

**Interfloor Ltd.**

Broadway, Haslingden, Rossendale, Lancashire, BB4 4LS

Tel: 01706 213131 | Fax: 01706 224915

Email: sds@interfloor.com

### 1.4 Emergency Telephone Number

+44 (0)1706 213131 (Mon–Fri, 09:00–17:00)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the Substance/Mixture

Physical Hazards	Health Hazards	Environmental Hazards
Not Classified	Not Classified	Not Classified

### 2.2 Label Elements

**EUH208** — Contains 5-chloro-2-methyl-4-iso-thiazolin-3-one (EC no. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EC no. 220-239-6). May produce an allergic reaction.

### 2.3 Other Hazards

Not classified as hazardous for transport or supply.

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2 Mixtures

**Description:** Adhesive

No component of this mixture is included above the relevant concentration levels detailed within section 3.2.1 of SDS regulation 2015/830.

## SECTION 4: FIRST AID MEASURES

### 4.1 First Aid Measures by Route of Exposure

# SAFETY DATA SHEET | STK950 Double-Stick Tackifier

According to EC-Regulations 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 Version 05 | Revision: 28/04/2026

<b>Note</b>	Personal protective equipment for first aid responders is recommended.
<b>Inhalation</b>	Move to fresh air. Get medical attention if symptoms persist.
<b>Skin Contact</b>	Wash with soap and water. Get medical attention if symptoms persist after washing.
<b>Eye Contact</b>	Rinse eye immediately with plenty of water. Continue rinsing for at least 15 minutes. Get medical attention if symptoms persist.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Drink plenty of water. Do not induce vomiting. Get medical attention if symptoms persist.

## 4.2 Most Important Symptoms and Effects

May produce an allergic reaction in persons already sensitised.

## 4.3 Immediate Medical Attention

**Treatment:** Treat symptomatically.

# SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing Media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

## 5.2 Special Hazards

No further relevant information known.

## 5.3 Advice for Firefighters

<b>Fire Fighting Procedure</b>	Keep containers cool by spraying with water if exposed to fire. Prevent run-off water from entering drains if possible.
<b>Protective Equipment</b>	Wear full protective clothing.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal Precautions & Protective Equipment

Avoid contact with skin, eyes or clothing. Use protective gloves, goggles and suitable protective clothing.

## 6.2 Environmental Precautions

Do not discharge into drains, water courses or onto the ground.

## 6.3 Containment and Clean-up Methods

<b>Small Spillages</b>	Absorb with sand or other non-combustible absorbent material.
<b>Large Spillages</b>	Dam and absorb spillages with sand or other non-combustible material. Collect in sealed containers and dispose according to local regulations.

## 6.4 Reference to Other Sections

# SAFETY DATA SHEET | STK950 Double-Stick Tackifier

According to EC-Regulations 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 Version 05 | Revision: 28/04/2026

Refer to Section 8 for protective clothing requirements. Refer to Section 13 for waste disposal.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for Safe Handling

Do not eat, drink or smoke when using this product. Provide good ventilation. Avoid spilling, skin and eye contact.

### 7.2 Conditions for Safe Storage

Temperature Range	5°C to 30°C
Container	Store in tightly closed original container
Avoid	Frost, high temperatures, direct sunlight

### 7.3 Specific End Use(s)

See Section 1.2 for identified end uses.

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control Parameters

No Occupational Exposure Limit assigned.

### 8.2 Exposure Controls

Process Conditions	Provide eyewash station.
Engineering Measures	Provide adequate ventilation.
Respiratory Equipment	Not applicable.
Hand Protection	Nitrile gloves to BSEN374 recommended for prolonged/repeated contact. Breakthrough times vary with thickness, use and source.
Eye Protection	Wear approved safety goggles if risk of splashing.
Hygiene Measures	Good personal hygiene practices are recommended.
Environmental Exposure Controls	None
Thermal Hazards	None

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Basic Physical and Chemical Properties

Appearance	Viscous liquid
Colour	Off white
Odour	Typical acrylic
Odour Threshold	N/A
pH-value (23°C)	6.5 (ISO 19396)
Melting Point / Freezing Point	N/A

# SAFETY DATA SHEET | STK950 Double-Stick Tackifier

According to EC-Regulations 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 Version 05 | Revision: 28/04/2026

<b>Initial Boiling Point / Range</b>	Not determined
<b>Flash Point</b>	N/A
<b>Evaporation Rate</b>	N/A
<b>Flammability (solid, gas)</b>	N/A
<b>Upper/Lower Flammability Limits</b>	N/A
<b>Vapour Pressure</b>	N/A
<b>Vapour Density</b>	N/A
<b>Relative Density (23°C)</b>	1.02g/cm <sup>3</sup> (ISO 2811-1)
<b>Solubility in Water</b>	Dispersible
<b>Solubility in Oil</b>	Insoluble
<b>Partition Coefficient n-octanol/water</b>	N/A
<b>Auto-ignition Temperature</b>	N/A
<b>Decomposition Temperature</b>	N/A
<b>Viscosity (23°C)</b>	15,000 mPa s (ISO 2555)
<b>Explosive Properties</b>	N/A
<b>Oxidising Properties</b>	N/A

Note: Data provided is applicable to the mixture as a whole.

## 9.2 Other Information

Not applicable.

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	No specific reactivity hazards associated with this product.
<b>10.2 Chemical Stability</b>	Stable under normal temperature conditions and recommended use.
<b>10.3 Hazardous Reactions</b>	Not applicable.
<b>10.4 Conditions to Avoid</b>	Frost, high temperatures, direct sunlight.
<b>10.5 Incompatible Materials</b>	None known.
<b>10.6 Hazardous Decomposition Products</b>	No dangerous decomposition products known.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Toxicological Effects

<b>Routes of Exposure — Ingestion</b>	Yes
<b>Routes of Exposure — Inhalation</b>	No
<b>Routes of Exposure — Contact</b>	No

# SAFETY DATA SHEET | STK950 Double-Stick Tackifier

According to EC-Regulations 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 Version 05 | Revision: 28/04/2026

Toxicological Effect	Assessment
Acute Toxicity	Classification criteria not met
Skin Corrosion/Irritation	Classification criteria not met
Serious Eye Damage/Irritation	Classification criteria not met
Respiratory or Skin Sensitization	May produce an allergic reaction
Germ Cell Mutagenicity	Classification criteria not met
Carcinogenicity	Classification criteria not met
Reproductive Toxicity	Classification criteria not met
STOT — Single Exposure	Classification criteria not met
STOT — Repeated Exposure	Classification criteria not met
Aspiration Hazard	Classification criteria not met

## SECTION 12: ECOLOGICAL INFORMATION

12.1 Aquatic Toxicity	No data for the mixture as a whole.
12.2 Persistence and Degradability	No data for the mixture as a whole.
12.3 Bioaccumulative Potential	No data for the mixture as a whole.
12.4 Mobility in Soil	No data for the mixture as a whole.
12.5 PBT and vPvB Assessment	Not classified as PBT/vPvB by current EU criteria.
12.6 Other Adverse Effects	No data for the mixture as a whole.

Do not allow product to reach ground water, water courses or sewage systems.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste Treatment Methods

Dispose of waste and residues in accordance with local authority requirements. Small quantities may be absorbed in sand and allowed to dry prior to disposal as low hazard waste. Larger quantities should be disposed of as controlled liquid waste via a licensed waste operator.

Waste Type	EC Waste Code
Dried Adhesive	08 04 10
Wet Adhesive	08 04 16

## SECTION 14: TRANSPORT INFORMATION

This product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1 UN Number	Not applicable
14.2 UN Proper Shipping Name	Not applicable

# SAFETY DATA SHEET | STK950 Double-Stick Tackifier

According to EC-Regulations 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 Version 05 | Revision: 28/04/2026

<b>14.3 Transport Hazard Class — ADR/RID</b>	Not classified for transportation
<b>14.3 Transport Labels</b>	No transport warning sign required
<b>14.4 Packing Group</b>	Not applicable
<b>14.5 Environmental Hazards</b>	Not applicable
<b>14.6 Special Precautions for User</b>	Not applicable
<b>14.7 Transport in Bulk (MARPOL / IBC Code)</b>	Not applicable

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, Health and Environmental Regulations

<b>UK Regulatory Reference</b>	Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
<b>Environmental Listing</b>	None noted.
<b>Approved Code of Practice</b>	Safety data sheets for substances and preparations.
<b>Guidance Notes</b>	Workplace Exposure Limits EH40.
<b>Authorisations (Title VII Reg. 1907/2006)</b>	None noted.
<b>Restrictions (Title VIII Reg. 1907/2006)</b>	None noted.

### 15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out.

## SECTION 16: OTHER INFORMATION

<b>Revision Date</b>	28/04/2021
<b>Version No.</b>	05
<b>Supersedes Date</b>	21/12/2020

### Labelling Statement

EUH208 — Contains 5-chloro-2-methyl-4-iso-thiazolin-3-one (EC no. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EC no. 220-239-6). May produce an allergic reaction.

<b>Classification (EC No. 1272/2008 CLP)</b>	<b>Classification Procedure</b>
EUH208	Threshold calculation

### Bibliographic Sources

Supplier SDS. ECHA dossiers.

**SVHC (>0.1%):** No

### Abbreviations and Acronyms

# SAFETY DATA SHEET | STK950 Double-Stick Tackifier

According to EC-Regulations 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 Version 05 | Revision: 28/04/2026

<b>ADR</b>	European Agreement concerning the International Carriage of Dangerous Goods by Road
<b>CLP</b>	Classification, Labelling, Packaging
<b>EC</b>	European Commission
<b>ECHA</b>	European Chemicals Agency
<b>EH40</b>	Health and Safety Guidance Note EH40
<b>EU</b>	European Union
<b>IATA</b>	International Air Transport Association
<b>IMDG</b>	International Maritime Code for Dangerous Goods
<b>ISO</b>	International Organization for Standardization
<b>PBT</b>	Persistent, Bioaccumulative and Toxic
<b>REACH</b>	Registration, Evaluation, Authorisation and Restriction of Chemicals
<b>RID</b>	Regulation Concerning the International Transport of Dangerous Goods by Rail
<b>SDS</b>	Safety Data Sheet
<b>STOT</b>	Specific Target Organ Toxicity
<b>SVHC</b>	Substances of Very High Concern
<b>vPvB</b>	very Persistent and very Bioaccumulative

*This information is based on our current knowledge. It does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. \* Data compared to previous version altered.*